



## SAFETY DATA SHEET WEARGUARD FINE LOAD RESIN.

### SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

#### 1.1. Product identifier

Product name WEARGUARD FINE LOAD RESIN.  
Product No. X99

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses Resin.

#### 1.3. Details of the supplier of the safety data sheet

Supplier ITW DEVCON  
BAY 150  
SHANNON INDUSTRIAL ESTATE  
SHANNON  
CO CLARE  
IRELAND  
T: +353 (0)61471299  
F: 353(0)61471285  
info@itwippe.eu

#### 1.4. Emergency telephone number

+44 (0) 1235 239670

### SECTION 2: HAZARDS IDENTIFICATION

#### 2.1. Classification of the substance or mixture

Classification (1999/45/EEC) Xi;R36/38. R43. R52/53.

Human health

Preparation contains an epoxy resin, which may cause sensitisation and development of allergy.

#### 2.2. Label elements

Contains EPOXY RESIN (Number average MW <= 700 )

Labelling



Irritant

Risk Phrases

R52/53

Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

R43

May cause sensitisation by skin contact.

R36/38

Irritating to eyes and skin.

Safety Phrases

S24/25

Avoid contact with skin and eyes.

S28

After contact with skin, wash immediately with plenty of water.

S37/39

Wear suitable gloves and eye/face protection.

P5

Contains epoxy constituents. See information supplied by the manufacturer.

#### 2.3. Other hazards

This product does not contain any PBT or vPvB substances.

### SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

# WEARGUARD FINE LOAD RESIN.

## 3.2. Mixtures

1,4-BIS[(2,3-EPOXYPROPOXY)METHYL]CYCLOHEXANE	1-5%
CAS-No.: 14228-73-0	EC No.: 238-098-4
Classification (EC 1272/2008) Not classified.	Classification (67/548/EEC) Not classified.
BISPHENOL A NOVOLAC EPOXY RESIN	< 1%
Classification (EC 1272/2008) Not classified.	Classification (67/548/EEC) Xi;R36/38. N;R51/53. R43.
CARBON BLACK	< 1%
CAS-No.: 1333-86-4	EC No.:
Classification (EC 1272/2008) Not classified.	Classification (67/548/EEC) Not classified.
EPOXY RESIN (Number average MW <= 700 )	10-30%
CAS-No.: 25068-38-6	EC No.: 500-033-5
Classification (EC 1272/2008) Skin Irrit. 2 - H315 Eye Irrit. 2 - H319 Skin Sens. 1 - H317 Aquatic Chronic 2 - H411	Classification (67/548/EEC) R43 Xi;R36/38 N;R51/53

The Full Text for all R-Phrases and Hazard Statements are Displayed in Section 16.

## SECTION 4: FIRST AID MEASURES

### 4.1. Description of first aid measures

General information

Avoid contact with skin and eyes. In case of accident or if you feel unwell, seek medical advice immediately (show label where possible).

Inhalation

Move the exposed person to fresh air at once. Contact physician if discomfort continues.

Ingestion

Rinse mouth thoroughly. Do not induce vomiting. If vomiting occurs, the head should be kept low so that stomach vomit doesn't enter the lungs. Get medical attention immediately!

Skin contact

Remove affected person from source of contamination. Wash skin thoroughly with soap and water for several minutes. Contact physician if irritation persists.

Eye contact

Promptly wash eyes with plenty of water while lifting the eye lids. Continue to rinse for at least 15 minutes and get medical attention. Contact physician if irritation persists.

### 4.2. Most important symptoms and effects, both acute and delayed

General information

The severity of the symptoms described will vary dependant of the concentration and the length of exposure.

### 4.3. Indication of any immediate medical attention and special treatment needed

## WEARGUARD FINE LOAD RESIN.

No recommendation given, but first aid may still be required in case of accidental exposure, inhalation or ingestion of this chemical. If in doubt, GET MEDICAL ATTENTION PROMPTLY!

### SECTION 5: FIREFIGHTING MEASURES

#### **5.1. Extinguishing media**

Extinguishing media

Extinguish with foam, carbon dioxide or dry powder.

#### **5.2. Special hazards arising from the substance or mixture**

Specific hazards

When heated and in case of fire, irritating vapours/gases may be formed.

#### **5.3. Advice for firefighters**

Special Fire Fighting Procedures

Avoid breathing fire vapours. Keep up-wind to avoid fumes. Avoid water in straight hose stream; will scatter and spread fire. Keep run-off water out of sewers and water sources. Dike for water control.

Protective equipment for fire-fighters

Self contained breathing apparatus and full protective clothing must be worn in case of fire.

### SECTION 6: ACCIDENTAL RELEASE MEASURES

#### **6.1. Personal precautions, protective equipment and emergency procedures**

Avoid contact with skin and eyes. Wear protective clothing as described in Section 8 of this safety data sheet. Provide adequate ventilation.

#### **6.2. Environmental precautions**

Do not allow to enter drains, sewers or watercourses. Spillages or uncontrolled discharges into watercourses must be IMMEDIATELY alerted to the Environmental Agency or other appropriate regulatory body.

#### **6.3. Methods and material for containment and cleaning up**

Absorb with sand or other inert absorbent. Transfer to covered steel drums for disposal. Containers with collected spillage must be properly labelled with correct contents and hazard symbol.

#### **6.4. Reference to other sections**

Wear protective clothing as described in Section 8 of this safety data sheet.

### SECTION 7: HANDLING AND STORAGE

#### **7.1. Precautions for safe handling**

Use only in well-ventilated areas. Keep away from heat, sparks and open flame. Open drum carefully as content may be under pressure. Do not eat, drink or smoke when using the product. Observe good chemical hygiene practices.

#### **7.2. Conditions for safe storage, including any incompatibilities**

Store in tightly closed original container in a dry, cool and well-ventilated place.

#### **7.3. Specific end use(s)**

The identified uses for this product are detailed in Section 1.2.

### SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

#### **8.1. Control parameters**

Ingredient Comments

No exposure limits noted for ingredient(s).

#### **8.2. Exposure controls**

Protective equipment



Process conditions

Provide eyewash, quick drench.

Engineering measures

Provide adequate general and local exhaust ventilation.

## WEARGUARD FINE LOAD RESIN.

Respiratory equipment

If ventilation is insufficient, suitable respiratory protection must be provided.

Hand protection

Use protective gloves made of: Rubber or plastic.

Eye protection

Wear approved chemical safety goggles where eye exposure is reasonably probable.

Hygiene measures

Keep away from food, drink and animal feeding stuffs. Good personal hygiene is necessary. Wash hands and contaminated areas with water and soap before leaving the work site. Do not eat, drink or smoke when using the product. Change work clothing daily before leaving work place.

Skin protection

Wear apron or protective clothing in case of contact.

### SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

#### 9.1. Information on basic physical and chemical properties

Appearance	Viscous liquid.
Colour	Dark. Grey.
Odour	Slight odour.
Solubility	Slightly soluble in water.
Initial boiling point and boiling range	>260
Melting point (°C)	n/d
Relative density	2.8 20 °C
Vapour pressure	<0.03mmHg 77.2
pH-Value, Conc. Solution	7.0 @ 20 °C
Flash point (°C)	> 204
Auto Ignition Temperature (°C)	>300

#### 9.2. Other information

Not available.

### SECTION 10: STABILITY AND REACTIVITY

#### 10.1. Reactivity

Strong oxidising agents. Acids. Amines.

#### 10.2. Chemical stability

Stable under normal temperature conditions and recommended use.

#### 10.3. Possibility of hazardous reactions

Not available.

#### 10.4. Conditions to avoid

Avoid heat, flames and other sources of ignition. Avoid excessive heat for prolonged periods of time.

#### 10.5. Incompatible materials

Materials To Avoid

Avoid contact with: Strong oxidising agents. Strong acids. Amines.

#### 10.6. Hazardous decomposition products

Thermal decomposition or combustion may liberate carbon oxides and other toxic gases or vapours. Vapours/gases/fumes of: Acids - organic. Aldehydes.

### SECTION 11: TOXICOLOGICAL INFORMATION

#### 11.1. Information on toxicological effects

Skin contact

Irritating to skin. May cause sensitisation by skin contact. Risk of sensitisation or allergic reactions among sensitive individuals.

Eye contact

Irritating to eyes.

Health Warnings

Preparation contains an epoxy resin, which may cause sensitisation and development of allergy.

## WEARGUARD FINE LOAD RESIN.

Route of entry

Inhalation. Ingestion.

<b>Name</b>	<b>EPOXY RESIN (Number average MW &lt;= 700 )</b>
Toxic Dose 1 - LD 50	>2000 mg/kg (oral rat)
Toxic Dose 2 - LD 50	>2000 mg/kg (oral rat)
<b>Name</b>	<b>1,4-BIS[(2,3-EPOXYPROPOXY)METHYL]CYCLOHEXANE</b>
Toxic Dose 1 - LD 50	2,450 mg/kg (oral rat)

### SECTION 12: ECOLOGICAL INFORMATION

Ecotoxicity

Avoid release to the environment. The product contains a substance which is toxic to aquatic organisms and which may cause long term adverse effects in the aquatic environment.

#### **12.1. Toxicity**

Acute Fish Toxicity

Not considered toxic to fish.

#### **12.2. Persistence and degradability**

Degradability

There are no data on the degradability of this product.

#### **12.3. Bioaccumulative potential**

Bioaccumulative potential

No data available on bioaccumulation.

#### **12.4. Mobility in soil**

Mobility:

Do not discharge into drains, water courses or onto the ground.

#### **12.5. Results of PBT and vPvB assessment**

This product does not contain any PBT or vPvB substances.

#### **12.6. Other adverse effects**

Not available.

### SECTION 13: DISPOSAL CONSIDERATIONS

General information

When handling waste, consideration should be made to the safety precautions applying to handling of the product.

#### **13.1. Waste treatment methods**

Dispose of waste and residues in accordance with local authority requirements.

Waste Class

08 04 99

### SECTION 14: TRANSPORT INFORMATION

General

The product is not covered by international regulation on the transport of dangerous goods (IMDG, IATA, ADR/RID).

#### **14.1. UN number**

No information required.

#### **14.2. UN proper shipping name**

No information required.

#### **14.3. Transport hazard class(es)**

No information required.

#### **14.4. Packing group**

No information required.

#### **14.5. Environmental hazards**

Environmentally Hazardous Substance/Marine Pollutant

No.

# WEARGUARD FINE LOAD RESIN.

## **14.6. Special precautions for user**

No information required.

## **14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code**

No information required.

## **SECTION 15: REGULATORY INFORMATION**

### **15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture**

EU Legislation

Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006 with amendments.

Water hazard classification

WGK 2

### **15.2. Chemical Safety Assessment**

No chemical safety assessment has been carried out.

## **SECTION 16: OTHER INFORMATION**

Revision Date 30/08/2011

Revision 7

Supersedes date 17/01/2011

Date 30/08/2011

Risk Phrases In Full

R36/38 Irritating to eyes and skin.

R43 May cause sensitisation by skin contact.

NC Not classified.

R51/53 Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

Hazard Statements In Full

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H319 Causes serious eye irritation.

H411 Toxic to aquatic life with long lasting effects.

### Disclaimer

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.